



The LAND MASTER

Family of Utility Vehicles





FOR MORE THAN 50 YEARS, AMERICAN SPORTWORKS® HAS BEEN MANUFACTURING AND DISTRIBUTING ON AND OFF-ROAD VEHICLES, WITH OVER A MILLION VEHICLES SOLD. THE LANDMASTER™ BRAND IS A FULL LINE OF UTILITY VEHICLES, RANGING FROM 150CC LIGHT UTILITY VEHICLES (LUTV) TO MID-SIZE 2WD AND 4WD MODELS ALL THE WAY TO 4-SEATER CREW VEHICLES WITH OPTIONAL 6-SEAT CONFIGURATIONS.

THE LANDMASTER™ FAMILY WAS DESIGNED WITH YOUR EVERY NEED IN MIND, WORK OR PLAY. THE LM200 RUNABOUT IS A QUICK, LIGHTER DUTY VEHICLE PERFECT FOR ADDING TO THE ENJOYMENT OF YOUR LAND WHILE HELPING TO MAINTAIN YOUR RESIDENTIAL, VACATION OR SMALL COMMERCIAL PROPERTY. MEDIUM DUTY JOBS SUCH AS MOVING MULCH, LOGS OR TOWING A MOWER OR TRAILER CAN BE HANDLED WITH EASE BY THE LM300 OR LM400. THE MORE POWERFUL FOUR WHEEL DRIVE VEHICLES ARE BUILT FOR HEAVY DUTY CHORES AND MORE RUGGED TERRAIN.

THE ELECTRIC LM48V IS QUIET YET POWERFUL ENOUGH FOR OFF-ROAD CHORES OR FOR JUST GETTING AROUND YOUR PROPERTY. THE ELECTRIC LM48V IS A STREET LEGAL VERSION OF THE LM48V. ALL OF OUR FULL SIZE MODELS COME WITH A "POLY" DUMP BED, OR OPTIONAL STEEL BED. ALSO AVAILABLE IS THE EXTREMELY VERSATILE PATENTED REAR FACING FLIP SEAT THAT FOLDS DOWN COMPLETELY, CREATING A FUNCTIONAL DUMP BED.

TABLE OF CONTENTS

ENGINE OPTIONS
page 1

GASOLINE UTVS
pages 2 - 4

ELECTRIC UTVS
page 5

GAS / ELECTRIC HYBRID UTVS
pages 5 - 6

2WD SPECIFICATIONS
page 7

4WD SPECIFICATIONS
page 8

4WD HYBRID SPECIFICATIONS
page 9

2WD ELECTRIC SPECIFICATIONS
page 10

COLOR OPTIONS / ACCESSORIES
pages 11 - 13



amsportworks.com

**AMERICAN
SPORTWORKS®**
TAKE IT OUTSIDE

UTILITY VEHICLES
SIZES SM TO XXL

800.643.7332
AMSPORTWORKS.COM

THE POWER WITHIN

YOU ARE UNIQUE. LIFE IS ABOUT CHOICES. THAT'S WHY WE CARRY A RANGE OF DIFFERENT POWER OPTIONS.



KOHLER Engines



HONDA



VANGUARD
COMMERCIAL POWER



SUBARU

KOHLER COMMAND PRO CH395 277CC

You need maximum power. You expect rugged reliability. Welcome to the KOHLER Command PRO® series. With cast iron cylinder bores, overhead valve technology, Quad-Clean™ 4-stage air filtration system and high-performance spark plugs. Command PRO® engines deliver years of nearly service-free operation. Because you need professional results, day after day. This gasoline engine is designed for maximum power and life.

FEATURING

- 12 Volt with recoil starter back up
- Electronic ignition system
- Overhead valve (OHV) design
- Cast iron cylinder sleeve
- Quad-Clean™ 4-stage air filtration
- Oil Sentry™ low oil engine shutdown system
- 3 Year limited warranty

HONDA GX390 390CC

You're looking at one of the best engines in the business. Honda sets the standard for reliable, hard-working engines. Their engines are built with high-quality components designed for optimum performance in the harshest environments. Featuring OHV design with precise valve timing, large capacity multi-chamber exhaust system. Precision engineered components result in lower vibration, lower fuel consumption and lower emissions. Honda's GX series lives up to the legend, and then some.

FEATURING

- 12 Volt with recoil starter back up
- Digital CDI ignition system
- Overhead valve (OHV) design
- Cast iron cylinder sleeve
- Dual element air cleaner
- Oil Alert low oil engine shutdown system
- 3 Year limited warranty

BRIGGS & STRATTON VANGUARD 350 SERIES 479CC

High Performance Commercial Engines by Vanguard are premium-grade, application-engineered to power equipment that works for a living. Featuring a number of advanced technologies and integrated components that are proven to elevate the reliability standard which helps hardworking people get a lot more done in less time. A poly-core blower housing and phase modulated flywheel fan on this engine help ensure an overall quieter operation.

FEATURING

- 12 Volt with recoil starter back up
- Magnetron® electronic ignition
- Overhead valve (OHV) design
- Dura-Bore™ cast iron cylinder sleeve
- Dual-Clean™ air cleaner
- Full pressure lubrication with spin-on oil filter and low oil warning light
- 2 Year limited warranty

SUBARU EH65 653CC

Subaru Industrial Engines feature the latest technological advancements. The V-Twin series industrial engines are the workhorses of the Subaru commercial grade engine line. Featuring an aluminum alloy block with cast iron cylinder liner with forged steel crankshaft and heavy-duty ball bearing support. Full pressure lubrication system with trochoid-type oil pump, large capacity air cleaner and dual elements provide maximum reliability under demanding loads, thus providing longer engine life.

FEATURING

- 12 Volt starter
- Overhead valve (OHV) design
- Electronic ignition system
- Cast-Iron cylinder sleeve
- Large capacity air cleaner
- Full pressure lubrication system with trochoid-type oil pump and low oil warning light
- 5 Year limited warranty

2WD LM200

WE CREATED THE INDUSTRY'S FIRST "LIGHT" UTILITY VEHICLE, AND NOW WITH OUR NEW DESIGN YOU WILL COMPLETE YOUR LAWN CHORES WITH EVEN MORE STYLE THAN BEFORE.

If you need some help around the yard or even some light snow plowing, this unit is the right fit. This LUTV is perfect; reaching up to a top speed of 30 mph and featuring an impressive 250 lb dump capacity and 500 lbs towing, the LM200 will have you completing more chores in less time. You can still count on comfort and convenience in the drive system – electric start, Forward / Neutral / Reverse continuous variable transmission, four-wheel heavy duty coil over shocks, dump bed and powder coated steel frame for durability.



shown with optional side tool holders

2WD LM300

GREAT FOR ALL-DAY TASKS AT THE RANCH, FARM OR HOME. THE FIRST IN OUR "FULL SIZE" LINE, THIS 2WD CAN EXPLORE NEAR AND FAR.

Featuring a 277cc 4-Stroke OHC Kohler engine with a Quad-Clean™ air filter* that is easily serviced. Features include 12V electric start with recoil backup, double a-arm front suspension with adjustable shocks, rear articulated swing arm with adjustable shocks, rear 2" receiver hitch allowing for 1100 lbs towing, and 400 lb dump bed capacity.



*See the Kohler website for more info: www.kohlerengines.com/difference/howquadcleanworks.htm



2WD LM400 THIS 2WD HONDA POWERED UTV IS RUGGED AND READY FOR WORK.

You won't be disappointed in the all-day adventures and tasks that can be accomplished with this sturdy UTV. A locking differential produces a go-anywhere attitude. The 390cc 4-stroke OHV Honda engine is more than capable of handling what you throw at it including superior plowing ability found in no other 2WD. Don't forget we've loaded up on features: 5 gallon fuel tank for 90 mile range, double a-arm front and articulated rear suspension, all cushioned by adjustable shocks, 400 lb bed capacity and 1100 lbs towing.



shown with optional hard top and hood rack

4WD LM500 4WD POWER AND GLORY – WE'RE PROUD TO OFFER THIS UTV BOASTING SOME OF THE INDUSTRY'S LEADING COMPONENTS.

The LM500 will inspire you to tackle those harder tasks or take longer treks through the back woods. A Briggs & Stratton Vanguard 479cc engine is the heart of this machine, with an oil filled Schafer/DANA transaxle and a convenient F-N-R Continuous Variable Transmission (CVT). Furthermore, double a-arm front suspension and articulated rear swing arm with adjustable shocks on all four wheels will ensure your comfort as you conquer the backcountry with 1200 lbs towing capacity.



shown with optional black hood



4WD LM650/700

THE CREAM OF THE 4WD CROP. OUR LARGEST ENGINE, THE 653CC SUBARU, POWERS THESE CLOSELY RELATED POWERFUL UTV COUSINS.

These two beastly 4WD models are built with the power and torque to do just about anything. If you need more than what our standard package offers, upgrading to the LM700 will get you independent rear suspension, Hilliard auto locking differential and four-wheel disc brakes.

You can haul 1200 lbs, and load up to 500 lbs in the bed of either model. Did we mention the industry leading 5 year engine warranty?

You'll also get up to 90 mile range on a single tank of gas and don't forget to add some of our great accessories to be the envy of the neighborhood.



shown with optional hood rack and camo hood

2WD/4WD CREWS

SHARE IN THE JOY OF OWNING THIS OUTSTANDING UTV. BRING YOUR FRIENDS WITH OUR FOUR PASSENGER CREW CABS.

We couldn't create a crew cab without dropping in some of our best features – 653cc Subaru, locking differential, available in both 2 and 4 wheel drive. Also, we offer an “S” model, which comes standard with a steel bed and our patented rear “flip seat” option,

which means a total of 6 people can ride! Check out our accessory page for sequential pictures of the seat. Versatility built in – a full bed or an extra seat in about 10 seconds.



shown with optional aluminum hard top and black hood



2WD ELECTRICS

ENVIRONMENTALLY CONSCIOUS AND POWERFUL, WE OFFER 48 VOLT MODELS. SILENTLY PACKED FULL OF GREAT INDUSTRY NAMES.

These 2WD cruisers are above all, easy to use. An on board Delta Q charger makes for convenient charging, while the brains of the operation, the Curtis controller, is sure to keep you rolling. The D&D Motor and six 8 volt Trojan batteries round out the impressive list of brands used in the manufacture of this UTV. You can achieve up to 38 miles in range and have the option of ordering this electric vehicle as a Low Speed Vehicle (LSV) that is street-legal. The LSV is listed with the NHTSA and meets FMVSS 500 specs, featuring turn signals, horn, brake lights, and shatter resistant windshield. Check with your local municipality regarding street legal vehicles.



shown as an "S" model (rear flipseat) and with optional hard top and white hood / shatter resistant windshield comes standard on LMLSV

HYBRIDS

CAN'T DECIDE BETWEEN A GAS OR ELECTRIC VEHICLE? 2WD OR 4WD? NO WORRIES – WE'VE ROLLED EVERYTHING INTO ONE MACHINE! TAKE A LOOK AT OUR HYBRID VEHICLE.

Built with two totally separate drive systems – a 48V Electric system and a 653cc gas Subaru V-Twin engine, this model brings you the best of two worlds. Totally silent front wheel drive in all electric, or gas powered rear wheel drive, and the option to switch both power sources on for 4WD. Some unique additions to our hybrid include – on board charger, built in regenerative braking, PLUS engine-powered recharging just to go the extra mile (literally). Also, 1200 lbs towing and 400 lb bed capacity, adjustable shocks, locking differential, and best of all – up to 112 mile range!



shown as an "S" model (rear flipseat) and with optional hard top



HYBRID CREWS

ALL THE INNOVATION OF OUR TWO WHEEL DRIVE HYBRID IN A FOUR PASSENGER MODEL!

Everything you love about our original two passenger hybrid – the dual drive systems, extended range (up to 130 mile range for crew models!) but with two more seats for that all day adventure with family and friends. We have created a true hybrid, not merely an electric vehicle with a generator, so don't hesitate to show this one off and brag about the function and sustainability that powers your outings.



HYBRID
POWERED

shown with optional aluminum hard top and white hood

HYBRID PREDATORS

THE "PREDATOR" PACKAGED HYBRIDS ARE PERFECT FOR THE HUNT AND COME LOADED WITH THE MOST POPULAR ACCESSORIES.

For the person who likes to spend more time outdoors than indoors, meet the Predator Hybrid series, the cream of the crop UTV we've outfitted as a hunter's dream. Picture yourself using our dual drive system: rear V-Twin engine and FWD electric motor together as 4WD to navigate through the backwoods and all of a sudden – hush – you've switched to electric only to creep up to your blind. Gone are the days of walking for miles from the trucks to find your spot. Get there with 112/130 mile range, cushioned by adjustable shocks, so powerful that you can tow the biggest buck in the brush, and equipped with the ultimate accessory package: roof, windshield, camouflage hood, front rack, front receiver, winch, skid plate kit, and CV guard kit.



HYBRID
POWERED

PREDATOR





vehicles may be shown with optional accessories / hood colors

	LM200 specifications	LM300A specifications	LM400 specifications	LMC2 specifications
MOTOR	150cc 4-stroke OHC single cylinder	277cc Kohler Command Pro CH395 4-Stroke OHV single cylinder with low oil shutdown	390cc Honda GX390 4-stroke OHV single cylinder with low oil shutdown	653cc Subaru EH65 4-stroke OHV V-twin with oil pressure warning light
SPEED	Up to 30 mph*	Up to 22 mph*	Up to 22 mph*	Up to 24 mph*
FUEL CONSUMPTION	Up to 45 mpg*	Up to 32 mpg*	Up to 20 mpg*	Up to 18 mpg*
RANGE	Up to 72 miles*	Up to 50 miles*	Up to 100 miles*	Up to 90 miles*
STARTING	12V Electric keyed ignition	12V keyed ignition with recoil backup	12V keyed ignition with recoil backup	12V keyed ignition
BATTERY	12V / 90cca powersport class	12V / 360cca utility class	12V / 360cca utility class	12V / 360cca utility class
SPARK PLUG	NGK C7HSA	NGK BKR5E	NGK BPR6ES	NGK BPR4ES
FUEL CAPACITY	1.75 gal	1.6 gal	5.0 gal	5.0 gal
ALTERNATOR	7 amp	10 amp	10 amp	30 amp
TRANSMISSION	CVT automatic	CVT automatic	CVT automatic	CVT automatic
TRANSAXLE	F-N-R oil filled internal	Gear drive Schafer/DANA oil-filled transaxle	Gear drive Schafer/DANA oil-filled transaxle	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	N/A	Open	Locking	Locking
DRIVE	2 wheel drive	2 wheel drive	2 wheel drive	2 wheel drive
FRONT SUSPENSION	Double A-arms with coil over shocks	Double A-arms, adjustable shocks with 3" travel	Double A-arms, adjustable shocks with 3" travel	Double A-arms, adjustable shocks with 3" travel
REAR SUSPENSION	Swing arm with twin adjustable shocks	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel
BRAKE SYSTEM	4 Wheel hydraulic disc with hand operated parking brake	6.25" dual rear drum with hand operated parking brake	6.25" dual rear drum with hand operated parking brake	Hydraulic disc front / hydraulic drum rear with hand operated parking brake
TIRES	20 x 7 - 8 (front) 22 x 10 - 10 (rear)	22 x 9 - 10 (front) 22 x 11 - 10 (rear)	25 x 11 - 12 (front & rear)	25 x 11 - 12 (front & rear)
DIMENSIONS	91.5" L x 49" W x 69.5" H	106" L x 47" W x 74" H	106" L x 47" W x 74" H	143" L x 48" W x 75" H
WHEEL BASE	62.5"	71"	71"	104"
TURNING RADIUS	7.5' inside radius	7.5' inside radius	7.5' inside radius	12.25' inside radius
DRY WEIGHT	615 lbs.	824 lbs.	824 lbs.	1200 lbs.
SHIPPING WEIGHT	729 lbs.	962 lbs.	988 lbs.	1200 lbs. (ships uncrated)
BED MATERIAL	Twin sheet thermoformed plastic	Structural foam "Poly Bed" with stake pockets	Structural foam "Poly Bed" with stake pockets	Structural foam "Poly Bed" with stake pockets
BED DIMENSIONS	21.5" L x 40.5" W x 9" D	35.25" L x 41.5" W x 11" D	35.25" L x 41.5" W x 11" D	35.25" L x 41.5" W x 11" D
BED CAPACITY	4.5 cu. ft. / 250 lbs.	9.25 cu.ft. / 400 lbs.	9.25 cu.ft. / 400 lbs.	9.25 cu.ft. / 400 lbs.
REAR FLIP SEAT	N/A	Available when ordered as "S" model	Available when ordered as "S" model	Available when ordered as "S" model
TOWING CAPACITY	500 lbs.	1100 lbs.	1100 lbs.	1200 lbs.
VEHICLE CAPACITY	750 lbs.	900 lbs.	900 lbs.	1500 lbs.
WARRANTY	1 year limited	3 year engine / All other 1 year limited	3 year engine / All other 1 year limited	5 year engine / All other 1 year limited
ADDITIONAL FEATURES	3pt lap/shoulder belts for driver and passenger, 12V auxiliary outlet for accessories, dump bed, under seat storage, cup holders, headlights, rear fenders	3pt lap/shoulder belts for driver and passenger, 12V auxiliary outlet for accessories, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, headrests	3pt lap/shoulder belts for driver and passenger, 12V auxiliary outlet for accessories, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, headrests, under seat storage	3pt lap/shoulder belts front and rear seats for driver and passengers, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests (front & rear), under seat storage (front & rear)

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.



vehicles may be shown with optional accessories / hood colors

	LM500 specifications	LM650 specifications	LM700 specifications	LMC4 specifications
MOTOR	479cc VANGUARD 350 Series 4-stroke pressure lubricated OHV V-Twin with oil pressure warning light	653cc Subaru EH65 rated at 22hp 4-stroke OHV V-twin with oil pressure warning light	653cc Subaru EH65 rated at 22hp 4-stroke OHV V-twin with oil pressure warning light	653cc Subaru EH65 rated at 22hp 4-stroke OHV V-twin with oil pressure warning light
SPEED	Up to 24 mph*	Up to 24 mph*	Up to 24 mph*	Up to 24 mph*
FUEL CONSUMPTION	Up to 18 mpg*	Up to 18 mpg*	Up to 18 mpg*	Up to 18 mpg*
RANGE	Up to 90 miles*	Up to 90 miles*	Up to 90 miles*	Up to 90 miles*
STARTING	12V keyed ignition	12V keyed ignition	12V keyed ignition	12V keyed ignition
BATTERY	12V / 360 cca utility class	12V / 360cca utility class	12V / 360cca utility class	12V / 360cca utility class
SPARK PLUG	NGK C7HSA	NGK BPR4ES	NGK BPR4ES	NGK BPR4ES
FUEL CAPACITY	5.0 gal	5.0 gal	5.0 gal	5.0 gal
ALTERNATOR	16 amp	30 amp	30 amp	30 amp
TRANSMISSION	CVT automatic	CVT automatic	CVT automatic	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle	Gear drive Schafer/DANA oil-filled transaxle	Gear drive Schafer/DANA oil-filled transaxle	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Locking	Locking	Hilliard auto locking	Locking
DRIVE	Switch engaged on demand, 4 wheel drive	Switch engaged on demand, 4 wheel drive	Switch engaged on demand, 4 wheel drive	Switch engaged on demand, 4 wheel drive
FRONT SUSPENSION	4-link double A-arm with up to 3" travel	4-link double A-arm with up to 3" travel	4-link double A-arm with up to 3" travel	Double A-arms, adjustable shocks with 3" travel
REAR SUSPENSION	Articulated rear swing arm featuring quad adjustable shocks with up to 3" Travel	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel	Double A-arm fully independent with up to 5" travel	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel
BRAKE SYSTEM	Hydraulic disc front, hydraulic drum rear with hand operated parking brake	Hydraulic disc front / hydraulic drum rear with hand operated parking brake	4 wheel hydraulic disc front and rear with hand operated parking brake	Hydraulic disc front / hydraulic drum rear with hand operated parking brake
TIRES	25 x 11 - 12 (front & rear)	25 x 11 - 12 (front & rear)	25 x 11 - 12 (front & rear)	25 x 11 - 12 (front & rear)
DIMENSIONS	106" L x 48" W x 75" D	106" L x 48" W x 75" D	106" L x 48" W x 75" D	143" L x 48" W x 75" D
WHEEL BASE	71"	71"	71"	104"
TURNING RADIUS	9.5' inside radius	9.5' inside radius	9.5' inside radius	12.25' inside radius
DRY WEIGHT	1000 lbs.	1000 lbs.	1000 lbs.	1254 lbs.
SHIPPING WEIGHT	1136 lbs.	1135 lbs.	1100 lbs.	1254 lbs. (ships uncrated)
BED MATERIAL	Structural foam "Poly Bed" with stake pockets	Structural foam "Poly Bed" with stake pockets	Structural foam "Poly Bed" with stake pockets	Structural foam "Poly Bed" with stake pockets
BED DIMENSIONS	35.25" L x 41.5" W x 11" D	35.25" L x 41.5" W x 11" D	35.25" L x 41.5" W x 11" D	35.25" L x 41.5" W x 11" D
BED CAPACITY	9.25 cu.ft. / 500 lbs.	9.25 cu.ft. / 500 lbs.	9.25 cu.ft. / 500 lbs.	9.25 cu.ft. / 400 lbs.
REAR FLIP SEAT	Available when ordered as "S" model	Available when ordered as "S" model	Available when ordered as "S" model	Available when ordered as "S" model
TOWING CAPACITY	1200 lbs.	1200 lbs.	1200 lbs.	1200 lbs.
VEHICLE CAPACITY	1000 lbs.	1000 lbs.	1000 lbs.	1500 lbs.
WARRANTY	2 year engine / All other 1 year limited	5 year engine / All other 1 year limited	5 year engine / All other 1 year limited	5 year engine / All other 1 year limited
ADDITIONAL FEATURES	3pt lap/shoulder belts for driver and passenger, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests, under seat storage	3pt lap/shoulder belts for driver and passenger, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests, under seat storage	3pt lap/shoulder belts for driver and passenger, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests, under seat storage	3pt lap/shoulder belts front and rear seats for driver and passengers, 35W headlights, polyurethane powder paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests (front & rear), under seat storage (front & rear)

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.



vehicles may be shown with optional accessories / hood colors

	LM650H specifications	LM650P specifications	LMC4H specifications	LMC4P specifications
MOTOR	48V DC (24kw at 46 ft. lbs of torque) with 500 amp Curtis controller / 653cc Subaru EH65 rated at 22hp 4-stroke OHV V-twin with oil pressure warning light			
SPEED	Up to 22 mph*	Up to 22 mph*	Up to 22 mph*	Up to 22 mph*
FUEL CONSUMPTION	Up to 18 mpg*	Up to 18 mpg*	Up to 18 mpg*	Up to 18 mpg*
RANGE	Up to 5.5 miles (electric) / Up to 90 miles (gas) total of up to 112 miles (see website for mileage estimate chart)*	Up to 5.5 miles (electric) / Up to 90 miles (gas) total of up to 112 miles (see website for mileage estimate chart)*	Up to 10 miles (electric) / Up to 90 miles (gas) total of up to 130 miles (see website for mileage estimate chart)*	Up to 10 miles (electric) / Up to 90 miles (gas) total of up to 130 miles (see website for mileage estimate chart)*
STARTING	Keyed on/off switch (48V motor) 12V keyed ignition (gas engine)	Keyed on/off switch (48V motor) 12V keyed ignition (gas engine)	Keyed on/off switch (48V motor) 12V keyed ignition (gas engine)	Keyed on/off switch (48V motor) 12V keyed ignition (gas engine)
BATTERY	4 -12V AGM sealed Trojan batteries (48V drive power) 12V / 360 cca utility class (starting)	4 - 12V AGM sealed deep cycle Trojan batteries (48V drive power) / 12V / 360 cca utility class (starting)	4 -12V US Battery 155 amp hour deep cycle batteries (48V drive power) / 12V / 360 cca utility class (starting)	4 -12V US Battery 155 amp hour deep cycle batteries (48V drive power) / 12V / 360 cca utility class (starting)
ON BOARD CHARGER	Delta Q 48V sealed, solid state / UL and CE compliant	Delta Q 48V sealed, solid state / UL and CE compliant	Delta Q 48V sealed, solid state / UL and CE compliant	Delta Q 48V sealed, solid state / UL and CE compliant
SPARK PLUG	NGK BPR4ES	NGK BPR4ES	NGK BPR4ES	NGK BPR4ES
FUEL CAPACITY	5.0 gal	5.0 gal	5.0 gal	5.0 gal
ALTERNATOR	Converter 20 amps / 30 amp	Converter 20 amps / 30 amp	Converter 20 amps / 30 amp	Converter 20 amps / 30 amp
TRANSMISSION	Direct drive / CVT automatic	Direct drive / CVT automatic	Direct drive / CVT automatic	Direct drive / CVT automatic
TRANSAXLE	H-12 Schafer/DANA gearbox (front) Gear drive Schafer/DANA oil-filled transaxle (rear)	H-12 Schafer/DANA gearbox (front) Gear drive Schafer/DANA oil-filled transaxle (rear)	H-12 Schafer/DANA gearbox (front) Gear drive Schafer/DANA oil-filled transaxle (rear)	H-12 Schafer/DANA gearbox (front) Gear drive Schafer/DANA oil-filled transaxle (rear)
DIFFERENTIAL	Manual Lock	Manual Lock	Manual Lock	Manual Lock
DRIVE	2WD / switch engaged on demand 4WD	2WD / switch engaged on demand 4WD	2WD / switch engaged on demand 4WD	2WD / switch engaged on demand 4WD
FRONT SUSPENSION	Double A-arm front with up to 3" travel featuring coil-over gas reservoir shock absorbers	Double A-arm front with up to 3" travel featuring coil-over gas reservoir shock absorbers	Double A-arm front with up to 3" travel featuring coil-over gas reservoir shock absorbers	Double A-arm front with up to 3" travel featuring coil-over gas reservoir shock absorbers
REAR SUSPENSION	Articulated rear swing arm featuring quad adjustable shocks with up to 3" Travel	Articulated rear swing arm featuring quad adjustable shocks with up to 3" Travel	Articulated rear swing arm featuring quad adjustable shocks with up to 3" Travel	Articulated rear swing arm featuring quad adjustable shocks with up to 3" Travel
BRAKE SYSTEM	Hydraulic disc front, hydraulic drum rear with hand operated parking brake	Hydraulic disc front, hydraulic drum rear with hand operated parking brake	Hydraulic disc front, hydraulic drum rear with hand operated parking brake	Hydraulic disc front, hydraulic drum rear with hand operated parking brake
TIRES	25 x 11 - 12 (front & rear) Heavy duty 6 ply rated	25 x 11 - 12 (front & rear) Heavy duty 6 ply rated	25 x 11 - 12 (front & rear) Heavy duty 6 ply rated	25 x 11 - 12 (front & rear) Heavy duty 6 ply rated
DIMENSIONS	106" L x 48" W x 75" D	106" L x 48" W x 75" D	143" L x 48" W x 75" D	142" L x 48" W x 75" D
WHEEL BASE	71"	71"	104"	104"
TURNING RADIUS	9.5' inside radius	9.5' inside radius	19.5' inside radius	19.5' inside radius
DRY WEIGHT	1100 lbs.	1311 lbs.	1557 lbs.	1787 lbs.
SHIPPING WEIGHT	1250 lbs.	1461 lbs.	1557 lbs. (ships uncrated)	1787 lbs. (ships uncrated)
BED MATERIAL	Structural foam "Poly Bed" with stake pockets	Steel	Structural foam "Poly Bed" with stake pockets	Steel
BED DIMENSIONS	35.25" L x 41.5" W x 11" D	34" L x 42" W x 10" D	35.25" L x 41.5" W x 11" D	34" L x 42" W x 10" D
BED CAPACITY	9.25 cu.ft. / 500 lbs.	8.26 cu.ft. / 500 lbs.	9.25 cu.ft. / 400 lbs.	8.26 cu.ft. / 400 lbs.
REAR FLIP SEAT	Available when ordered as "S" model	Available as an optional accessory	Not an available option	Not an available option
TOWING CAPACITY	1200 lbs.	1200 lbs.	1200 lbs.	1200 lbs.
VEHICLE CAPACITY	1000 lbs.	1000 lbs.	1500 lbs.	1500 lbs.
WARRANTY	5 year engine / All other 1 year limited	5 year engine / All other 1 year limited	5 year engine / All other 1 year limited	5 year engine / All other 1 year limited
ADDITIONAL FEATURES	3pt lap/shoulder belts for driver and passenger, 35W headlights, polyurethane powdered coat paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests, under seat storage. LM650P comes with a range of pre-installed accessories, see page 6.		3pt lap/shoulder belts for driver and passengers, 35W headlights, polyurethane powdered coat paint, 2" rear receiver hitch, dump bed, bench seating, welded steel frame, 12V auxiliary outlet for accessories, headrests (front & rear) under seat storage (front & rear). LMC4P comes with a range of pre-installed accessories, see page 6.	

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.



vehicles may be shown with optional accessories / hood colors

	LM48V specifications	LMLSV specifications
MOTOR	48V DC 24kw at 70 ft. lbs of torque with 500 amp Curtis controller	48V DC 24kw at 70 ft. lbs of torque with 500 amp Curtis controller
SPEED	Up to 22 mph (Up to 10 mph in M2 mode)*	Up to 22 mph (Up to 10 mph in M2 mode)*
RANGE	Up to 38 miles (in M2 mode)*	Up to 38 miles (in M2 mode)*
STARTING	Keyed on/off switch	Keyed on/off switch
BATTERY	6 - 8 volt Trojan T-875 deep cycle batteries	6 - 8 volt Trojan T-875 deep cycle batteries
ALTERNATOR	Converter/20 amps	Converter/20 amps
TRANSMISSION	Direct drive	Direct drive
TRANSAXLE	H-12 Schafer/DANA gearbox	H-12 Schafer/DANA gearbox
DIFFERENTIAL	Open	Open
DRIVE	2 wheel drive	2 wheel drive
FRONT SUSPENSION	Double A-arms featuring adjustable shocks with 3" travel	Double A-arms featuring adjustable shocks with 3" travel
REAR SUSPENSION	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel	Articulated rear swing arm, featuring quad adjustable shocks with 3" travel
BRAKE SYSTEM	6.25" dual rear drum with regenerative braking / hand operated parking brake	6.25" dual rear drum with regenerative braking / hand operated parking brake
TIRES	22 x 11 - 10 (front & rear) Terra Trac	22 x 11 - 10 (front & rear) Terra Trac
DIMENSIONS	106" x 47" x 74"	106" x 47" x 74"
WHEEL BASE	71"	71"
TURNING RADIUS	7.5' inside radius	7.5' inside radius
DRY WEIGHT	1250 lbs.	1250 lbs.
SHIPPING WEIGHT	1360 lbs.	1388 lbs.
BED MATERIAL	Structural foam "Poly Bed" with stake pockets	Structural foam "Poly Bed" with stake pockets
BED DIMENSIONS	35.25" L x 41.5" W x 11" D	35.25" L x 41.5" W x 11" D
BED CAPACITY	9.25 cu.ft. / 400 lbs.	9.25 cu.ft. / 400 lbs.
REAR FLIP SEAT	Available when ordered as "S" model	Available when ordered as "S" model
TOWING CAPACITY	1100 lbs.	1100 lbs.
VEHICLE CAPACITY	900 lbs.	900 lbs.
WARRANTY	1 year limited	1 year limited
ADDITIONAL FEATURES	On-board charger, 3pt lap/ shoulder belts for driver & passenger, 35W headlights, brake lights, 2" rear receiver hitch, welded steel frame, 12V auxiliary outlet for accessories, headrests, under seat storage	On-board charger, 3pt lap/ shoulder belts for driver & passenger, 35W headlights, brake lights, 2" rear receiver hitch, welded steel frame, 12V auxiliary outlet for accessories, headrests, under seat storage, listed with NHTSA, meets FMVSS 500 specs, turn signals, horn, polycarbonate shatter resistant windshield

* Estimates. Actual top speeds and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.



COLOR OPTIONS

The full size LANDmaster™ utility vehicles come standard in either red or green but there are more color options available to order for an additional upcharge.



LOST CAMO



CHERRY RED



ARCTIC WHITE



ALPINE GREEN



MIDNIGHT BLACK

GO FROM STEEL BED TO REAR SEAT IN 10 SECONDS WITH OUR PATENTED FLIP SEAT CONVERSION KIT



Dump capable steel bed



Tailgate down



Seat back up



2 person rear seat with safety belts

ACCESSORIZE AND PERSONALIZE

YOU KNOW WHAT YOUR NEEDS ARE FAR MORE THAN WE DO.
THAT'S WHY WE OFFER A VARIETY OF ACCESSORIES FOR PERSONALIZATION.

We leave it to you to make your LANDmaster™ your own. From hood racks, camo hood wraps and spot / flood lights for hunting to CV guards and skid plates to protect your underbody from the rough stuff. When winter hits, we've got you covered with cab enclosures, plow blades and winches. Maybe you just want to dress your unit up with wheels, tops, windshields and side mirrors. More accessories are available at www.amsportworks.com.





WINCH KITS, TOOL HOLDERS, HARD TOPS & WINDSHIELDS FOR 200 SERIES



ENVIRONMENTAL COVERS



DIAMOND PLATE ALUMINUM CREW TOPS

DUAL REAR GUN RACKS

LARGE SKID PLATES



CAMO HOOD WRAPS AND BED COVERS



2" FRONT RECEIVER HITCHES



CV GUARDS



SMALL SKID PLATES



TURF TIRES



TIRE CHAINS



BRAKE AND TAIL LIGHTS



BACKUP ALARMS



AMBER SAFETY STROBES



HOUR METERS



RUBBER BED MATS



800.643.7332
AMSPORTWORKS.COM



INDIANA FACILITY
7625 DiSalle Boulevard
Fort Wayne, IN 46825

LOUISIANA FACILITY
62194 Commercial Street
Roseland, LA 70456

Information in this publication is subject to change without notice. Engine specifications are provided by the engine manufacturer and are subject to change without notice. Before operating or riding, always refer to the safety and operating information on the vehicle and in the Operator's Manual. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances. Please travel responsibly, respect the rights of others and avoid sensitive environmental areas such as meadows, lakeshores, wetlands and streams. This information was assembled for worldwide distribution. Not all options may be available in your area. Please consult your local dealer for details. ASW, LLC reserves the right to change specifications, design and price of the products described herein without notice. American SportWorks® and LANDmaster™ are registered trademarks of ASW, LLC.